



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 55493

January 19, 2010 1:39:21 PM

Page 2

Item ID: D3785-1

Accept

Setup Start

Revision ID:

Stop

Item Name: Bracket

Start Date: 1/19/10 Start Qty: 4.00

Cust Item ID:

Required Date: 1/25/10 Req'd Qty: 4.00

Customer:

Reference:

Run Start

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

120

QC8- Inspect parts - second check

0.00

27 510101/22

45

P12 →

QC

Memo

0.00

Quality Control

130

0.00

Brake NC

Memo

0.00

SB 10/02/11

5

Brake NC

1- bend per dwg

140

QC5- Inspect part completeness to step on W/O

0.00

510102/16

45

QC

Memo

0.00

Quality Control

# Dart Aerospace Ltd

W/O: 55493		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
10/1/22	12	Took Qty x1 For QC inspection template	S	10/01/22	1/		S 10/01/22

Part No: D3785-1 PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 55493

January 19, 2010 1:39:21 PM



Page 3

Item ID: D3785-1

Accept



Setup Start



Revision ID:

Stop



Item Name: Bracket

Start Date: 1/19/10 Start Qty: 4.00



Cust Item ID:

Required Date: 1/25/10 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

150



HandFinish

Hand Finishing

Chemical Conversion Coat per QSI005 4.1

0.00

BR 10-02-17

5

Memo

0.00

160



Powdercoat

Powder Coating

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

0.00

M112588

Memo

Start Time: 3:50  
Oven Temperature: 320°  
Finish Time: 4:20

0.00

BR 10-02-22

5

170



QC

Quality Control

QC3- Inspect Part Finish

0.00

10/01/27

XS

8

Memo

0.00

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 55493**

January 19, 2010 1:39:21 PM



Page 4

Item ID: D3785-1

Accept



Setup Start



Revision ID:

Stop



Item Name: Bracket

Start Date: 1/19/10 Start Qty: 4.00



Cust Item ID:

Required Date: 1/25/10 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

180

Identify as per dwg & Stock Location: SK

0.00



Packaging

Memo

0.00

Packaging

12/13/01 (5)

190

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/03/02

CL 03/01/10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

January 19, 2010 1:39:25 PM

Page 1

Work Order ID: 55493



Parent Item: D3785-1



Parent Item Name: Bracket

Start Date: 1/19/10

Required Date: 1/25/10

Comments: IPP Rev:A 08-05-01 new issue DD verified by:EC

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M6061T6S.080		Purchased	No			100	sf	178.9597	2.2737	35		
6061-T6 .080 Sheet											10-1-81	

## Warehouse

## Loc Qty

## Loc Code

### Location

Main Warehouse

MAT

178.95967

110630

35.0136

112141

0.86727

112763

6.85

113438

136.2288

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
113438

6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b>	55493
<b>Description: Bracket</b>		<b>Part Number:</b>	D3785-1
<b>Inspection Dwg: D3785      Rev: C</b>		<b>Page 1 of 1</b>	


### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article      ☐ Prototype


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.391	+0.006/-0.001	.390	✓			
0.75	+/-0.030	.749	✓			
6.93	+/-0.030	6.938	✓			
10.669	+/-0.010	10.671	✓			
8.35	+/-0.030	8.360	✓			
6.833	+/-0.010	6.836	✓			
0.080	+/-0.010	.077	✓			

Measured by: <b>FB</b>	Audited by: <b>S</b>	Prototype Approval:	N/A
Date: <b>10-1-21</b>	Date: <b>10/6/22</b>	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	09.09.15	New Issue	KJ	



**D3785-1 BRACKET**





**D3785-3 BRACKET**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 55493  
PA 10-1-19


**RELEASED**  
2009-12-02  
MP

D	REVISED D3785-3 AS FOLLOWS: 1.13 WAS 1.05 (ZN C2-3); 1.500 WAS 2.000 (ZN B7-3); 5.500 WAS 6.750 (ZN B5-3). REASON: PROVIDE MORE CLEARANCE FOR CUSHION UPON ASSEMBLY AND HOLE PATTERN NOT MATCHING D3781-1 HOLE PATTERN.	MB	09.11.26
C	REDESIGNED BASED ON FEEDBACK FROM END USERS AT HAI 2009	MB	09.05.07
B	REDESIGNED D3785-3; REMOVED PINS D3785-0411-11-51-7; DRAWING TITLE WAS ARMREST WELDMENT REASON: ELIMINATED ARMREST FWD-AFT ADJUSTMENT; PARTS AND WELDMENT NO LONGER REQUIRED	MB	08.07.18
A	NEW ISSUE	MB	08.04.29
REV.	DESCRIPTION	BY	DATE
DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D3785	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	09.11.26	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	






**D3785-3 BRACKET**  
MAKE FROM D3785-3F



**RELEASED**  
2009-12-02



**D3785-3F FLAT PATTERN** 1

**D3785-3 NOTES:**

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK  
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027  
REF: DART SPEC. M6061T6S.080
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART  
QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3785-3" USING FINE  
POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.25 lbs

DESIGN	<del>1</del>	<b>DART AEROSPACE LTD</b>	
DRAWN	<del>1</del>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<del>PH</del>	DRAWING NO.	REV. D
MFG. APPR.	<del>1</del>	<b>D3785</b>	SHEET 3 OF 3
APPROVED	<del>1</del>	TITLE	SCALE
DE APPR.	<del>1</del>	<b>BRACKET</b>	NTS
DATE	09.11.26	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			